One Water Heater. Endless Potential.

Best in Class. Better to the Core.

The Essency E55R is a 55-gallon tank that puts in the work of an 80-gallon tank. It delivers fresh water at your command with stable temperatures and a draw that won't quit. Built of a tough polymer material designed to last 30 years. And a phone app that monitors output, enhances efficiencies, and puts control at your fingertips. In other words, a water heater like none that's ever existed. But the one you've always wanted.







All the Benefits of a Tankless. In a Tank.

- Superior temperature stability no competing tank can match
- Heated domestic water is always fresh and bacteria-free
- Advanced polymer tank lasts 3x longer, no need for anodes
- No scale build-up, no rust or corrosion, no smell
- Touch screen has custom modes for performance and savings
- Phone app allows for greater control and peace of mind
- 20-year warranty on tank, 6 years on heat exchanger



Essency Makes Your Job Easier. And Your Clients Happier.

Incredible Durability | The E55R has at least 2.5x the life expectancy of current tank models and comes with a warranty that's up to 3x as long.

Easy to Install | The E55R requires no T&P valve. At just 102 lbs, installation is a one-person job. Drop-in replacement is simple compared to bulky, heavy, traditional electric water heaters.

Smaller, Stronger, Smarter | The sleek, stylish design of the E55R gives it a smaller footprint, but its 55-gal. tank has the performance of an 80-gal. tank. Under NAECA3 Standards, to get this much hot water capacity, you'd need an expensive heat pump or to be part of a utility program.

Easy to Repair | All parts are designed to be easily accessible and replaceable, making the unit inexpensive to repair. This helps the E55R achieve a life expectancy of 30+ years.


Simple to Stock | The only electric water heater you need to stock. Its high performance and 55-gal size mean the E55R will meet the demands of almost every home, including large families.



The E55R was Designed for...

- Homeowners who want a constant supply of hot water like a tankless but prefer electric over gas
- Tech-savvy households looking for WiFi connectivity and smartphone apps for remote control and peace-of-mind
- Eco-conscious consumers interested in their water and energy consumption and lessening the environmental impact of steel tanks in landfills
- Larger families who will appreciate 9 back-toback showers

It's What's Inside that Counts.



Patent-pending design

Stay Connected, Stay Smart

- Built-in WiFi and a grid-ready app for intelligent water usage and leak detection
- Smart Mode for efficient water use, Heat+ Mode for high-volume performance
- Boost function heats tank to its maximum temperature
- Vacation function saves energy and prevents water from freezing
- Water Saver function gradually cools down water for long shower-takers




MyEssency app can be downloaded from Google and Apple stores.

Certifications

- UL-174 certified
- Lead-free compliant
- FCC compliant







Product Specifications									
Dimensions	Net Weight	Electrical Circuit Sizing	Element Wattage	Connection Sizes	Operating Water Pressure	Installation Location	Uniform Energy Factor	Rated Capacity	
65" x 22" x 26"	101 lbs	240V/60Hz/25A	4500W	3/4" (MNPT)	145 psi max	Indoor Only	0.93	55 Gal	

		E55R vs. Leading E	lectric Water Heaters		
	Features	Essency E55R	55 Gal Competitor A	85 Gal Competitor B	
Wattage		4500W	4500W	4500W	
Nominal Capacity		55	55	85	
Rated Capacity		55	55	Undisclosed	
FHR: First Hour Rating (Gal)		80 / 100*	72	77	
Single Shower Length (minutes)		65 / 70*	55	59	
No. of 8-min Back-to-Back Showers (@2GPM)		8 / 9*	7	7	
Uniform Energy Factor (UEF)		0.93	0.92	0.92	
Life Expectancy		30+ years	Undisclosed (US average for electric tank: 8-10 yrs)	"Lifetime" tank	
Tank Material & Technology		Polymer tank Heat exchanger	Steel enameled standard electric WH	Polymer standard electric WH	
Smart Technology		Wifi + Smartphone App Smart Grid Ready Custom Modes	None	None	
Elements		Titanium, thermally fused, upper & lower	Stainless steel	Titanium, thermally fused upper, stainless steel lower	
Leak Detection		Yes	No	No	
Product Weight		102 lbs	128 lbs	134 lbs	
Dimensions (inches)		21.75" W x 26" D x 59" H (fits through attic opening)	22.25" W x 22.25" D x 5 7" H	28.25" W x 25" D x 70.25" H	
		E55R vs. Leading Ta	nkless Water Heaters		
	Characteristics	Essency E55R	Tankless Competitor A	Tankless Competitor B	
Flow Rates	Flow Rate GPM@35F Rise	12 / 12.6*	9.8	11.2	
	Flow Rate GPM@45F Rise	9.2 / 9.7*	8.5	8.7	
	Flow Rate GPM@55F Rise	7.4 / 7.8*	7	7.1	
	Flow Rate GPM@65F Rise	6.1 / 6.4*	5.8	6	
	Flow Rate GPM@75F Rise	5 / 5.4*	5.1	5.2	
	Maximum Temp (F)	132	120 to 140	140	
	Min Activation Rate (G)	0.32	0.26	0.5	
	BTUs**	199,900**	199,000	199,000	

^{*} Applies to Smart Mo / Heat+ Mode. 100 gallon obtained in Heat+ Mode when tested in similar conditions as the standardized FHR test.

Look for the Essency E55R at these Ferguson locations.

1842 Airport Blvd. Houston, TX 77051 (832) 742-2266

514 Bennett Ln. Suite 200 Lewisville, TX 75057 (469) 293-7927

221 Junior Beck Dr. Corpus Christi, TX 78405 (361) 289-1977

303 N Park Dr. San Antonio, TX 78216 (210) 344-3013

6002 42nd St. Lubbock, TX 79407 (806) 784-3140

2551 N Mays St. Round Rock, TX 78665 (512) 248-4050



EssencyHome.com

Email us at sales@essencyhome.com Headquartered in Houston, TX Designed & engineered in France

^{**} Observed at a recommended pressure of 60-80 psi